

CUSTOM DESIGNED STEEL BUILDINGS



1.877.626.9355
www.CowellSteel.com
wework@CowellSteel.com



TABLE OF CONTENTS


We sincerely appreciate the opportunity of working with you whether it is a metal building project, metal roofing job, or mini-storage. We strive to furnish you with the finest quality building components and metal roofing supplies possible.

Your role is critical in fulfilling the mission of our company. In appreciation of your business, we personally guarantee you will receive the best service possible. By consistently going the extra mile, we have created loyal clientele. In this same manner, we hope to earn your confidence and continued business.

Our Cowell Steel team is here to support you and we are looking forward to helping you achieve your goals and objectives with your steel building construction. Our new facility located at Pottsville, Arkansas can handle your steel building needs.



Red Iron	4
CEE, ZEE & Channel.....	4
Eave Strut.....	4
Angle.....	4
Steel	4
Wide Flange.....	4
20' Flat Bar.....	5
Steel Angle.....	5
Structural Channel.....	5
Tube.....	5
Plate.....	5
Fasteners	6
Lap screw.....	6
Lathe screw.....	6
Stitch screw.....	6
Woodbinder.....	6
Pop rivets.....	6
Drive Pin.....	6
Teks®.....	6
Tek 5®.....	6
Teks® (no washer).....	6
Driver Bits.....	6
Bolts	7
Titan HD® Anchor.....	7
Wedge Anchor.....	7
Bolts.....	7
Anchor Bolts.....	7
Bracing	7
Cable.....	7
Eyebolt.....	7
Hillside Bracer.....	7
Sheets & Panels	8
26ga Flat Sheets.....	8
R-Panel.....	8
Omega Plus Panel.....	8
Touch-up Paint.....	8
Wafer Clips.....	8
Color Chart	9
Accessories	10
Caulk.....	10
Pipe Flash.....	10
Mastic Tape.....	10
Insulation.....	10
Closures.....	10
Snow Trax.....	10
Ridge Vents.....	11
Doors	11
Leaf.....	11
Frame Packs.....	11
Door Accessories.....	11
Door Threshold.....	11
Trim	12
Industrial / Commercial.....	12
Residential / Post Frame.....	14







RED IRON

CEE, ZEE & CHANNEL

Width	Depth	Gauge
4"	2"	16
4"	2½"	14, 16
4"	3½"	14, 16
6"	2½"	14, 16
6"	3½"	12, 14, 16
8"	2½"	12, 14, 16
8"	3½"	12, 14, 16


LARGE SIZES AVAILABLE
GALVANIZED AVAILABLE



EAVE STRUT

Height	Size	Gauge
4"	2 x 3	16
4"	4 x 3	14
6"	2½ x 2½	14, 16
8"	5 x 3	12, 14

OTHER SIZES AVAILABLE



ANGLE

Size	Gauge
2½" x 2½"	14
4" x 2"	14, 16

OTHER SIZES AVAILABLE



STEEL

20' FLAT BAR

Width	Weight
3"	51 LB
4"	68 LB
5"	85 LB
6"	102 LB
8"	136 LB
4"	85 LB
5"	106.2 LB
6"	127.61 LB
8"	170 LB
5"	127.6 LB
6"	153 LB
8"	204 LB
2"	68 LB
3"	102 LB
4"	136 LB
5"	170 LB
6"	204 LB
8"	272 LB
6"	255 LB
8"	340 LB
10"	425 LB
6"	306 LB
8"	408 LB

OTHER SIZES AVAILABLE



STEEL ANGLE

Size	Gauge	Weight
3" x 3"	3/16"	72 LB
5" x 3"	1/4"	132 LB

OTHER SIZES AVAILABLE



STRUCTURAL CHANNEL

ALL SIZES AVAILABLE



TUBE

ALL SIZES AVAILABLE



STEEL

WIDE FLANGE

Size	Length	Weight
8 x 10	20'	200 LB
8 x 10	40'	400 LB
8 x 13	40'	520 LB
8 x 15	40'	600 LB
8 x 18	20'	360 LB
8 x 18	40'	720 LB

OTHER SIZES AVAILABLE



PLATE

Width	Length	Weight
5'	10'	283.6 LB
5'	10'	383 LB
6'	10'	459.6 LB
4'	10'	408.4 LB
5'	10'	510 LB
6'	10'	612.6 LB
4'	8'	653 LB


OTHER SIZES AVAILABLE





EASTENERS


See page 9 for available colors




LAP SCREW	Length
	7/8"

STITCH SCREW	Length
	3/4"

WOODBINDER	Lengths
	1", 1 1/2", 2", 2 1/2"


LATHE SCREW	Length
	1/2"


DRIVE PIN	Size
	1/4"


1/8" POP RIVETS



See page 9 for available colors

ZXL TEKS®
AVAILABLE


TEKS®	Lengths
	1 1/4", 1 1/2", 2"


TEK 5®	Size
	12-24 x 1 1/4"


TEKS® (NO WASHER)	Size	Length	Color
	1/4-14	1 1/4"	Plain
	12-14	3/4"	Plain
	12-14	3/4"	White
	12-14	1 1/4"	Plain


DRIVER BITS	Type	Size
	SPRING LOADED	1/4"
		1/4"
	MAG SOCKET	5/16"
		3/8"
		7/16"
	PHILLIPS	#2
		#3
	SQUARE	R2

BOLTS


TITAN HD® ANCHOR	Size
	1/2" x 4"
	1/2" x 6"
	1/2" x 8"
	OTHER SIZES AVAILABLE STAINLESS AVAILABLE


WEDGE ANCHOR	Size
	1/2" x 2 3/4"
	5/8" x 5"
	3/4" x 8"
	OTHER SIZES AVAILABLE


ANCHOR BOLTS	Size
	5/8" x 14"
	3/4" x 17"
	1" x 25"
	1" x 36"

BOLTS	Size	Lengths	Type
	1/2"	1 1/4"	A307
	1/2"	1 1/4"	Fin Neck
	1/2"	1 1/4", 1 1/2", 1 3/4"	A325
	5/8"	1 1/2", 1 3/4", 2"	A325
	3/4"	1 1/2", 1 3/4", 2", 2 1/4", 2 1/2", 2 3/4", 3", 3 1/2"	A325
	7/8"	2", 2 1/2", 2 3/4"	A325
	1"	2 1/4", 2 3/4", 3 1/4"	A325
Nuts and Washers Available Separately			

BRACING

EYEBOLT	Size
	1/2"
	5/8"
	7/8"

CABLE	Size
	1/4"
	3/8"
	1/2"

HILLSIDE BRACER	Size
	#1 1/2" - 5/8"
	#2 3/4" - 7/8"




SHEETS & PANELS

FLAT SHEETS 26GA & 29GA

Length

CUT TO LENGTH

See page 9 for available colors



R-PANEL

Gauge

26

Length

CUT TO LENGTH

See page 9 for available colors




- Industry standard strength and durability.
- Available in 26 ga. 80,000 psi (*pounds per square inch*) min. tensile strength.
- Available in 16 standard colors and Galvalume. Standard colors carry a 40 year limited paint warranty.
- Not Recommended for roof pitches less than 1/2 -to- 12.
- Also available in Reverse Roll (upside down).
- Priced by the linear foot.

STANDING SEAM

VARIOUS OPTIONS
AVAILABLE ON REQUEST

See page 9 for available colors



OMEGA PLUS

PANEL

Gauge

29

26

Length

CUT TO LENGTH

See page 9 for available colors



- Used extensively in the post frame and residential industries.
- Available in 29 ga. and 26 ga. 80,000 psi (*pounds per square inch*) min. tensile strength.
- Available in 16 standard colors and Galvalume. Standard colors carry a 40 year limited paint warranty.
- Not recommended for roof pitches less than 3 -to- 12.
- Priced by the linear foot.

STANDING SEAM CLIPS

Size

1 1/2"

2"

OTHER SIZES
AVAILABLE

Others available




COLOR CHART

Other colors and Copper available by special order.



Galvalume



Brilliant White



Polar White



Light Stone



Desert Sand



Tan

COWELL
Steel Structures, LLC

7695 Highway 64
Atkins, AR 72823

(479) 968-5420 Toll Free: (877) 626-9355

"R" PANEL OMEGA PLUS PANEL



Evergreen




Hawaiian Blue



Gallery Blue



Crimson Red



Rustic Red

PROUDLY FINISHED WITH
SHERWIN-WILLIAMS
Coil Coatings



These color samples are as close as possible to actual colors offered, within the limits of color chip reproduction.



Black



Charcoal Gray



Ash Gray



Burnished Slate



Brown



Burgundy



ACCESSORIES

CAULK	Color
	CLEAR
	WHITE

See page 9 for additional colors



TOUCH-UP PAINT

See page 9 for available colors



MASTIC TAPE	Width	Length
	3/8"	45'
	1"	45'



CLOSURES	Type
	R-PANEL
	OMEGA PANEL
	M-PANEL
	EXPANDING FOAM
	FLEX-O-VENT
	MULTI-VENT
	UNIVERSAL
	OTHER TYPES AVAILABLE



R-PANEL



EXPANDING FOAM



OMEGA PANEL



FLEX-O-VENT

PIPE FLASH



Type	Size
#3	1/4" - 4"
#4	3" - 6"
#5	4" - 7"
#6	5" - 9"
#7	6" - 11"
#8	7" - 13"
#9	10" - 18"
RETRO ZIP BOOT	1/2" - 4"
HIGH TEMP. AND BLACK AVAILABLE	

INSULATION



Type	Size
3" VRR	4' x 53'
3" VRR	6' x 20'
3" VRR	6' x 53'
3" VRR	6' x 75'
3" VRR	6' x 103'
DOUBLE AND SINGLE BUBBLE	6' x 102'
1.5" DOUBLE-FACED TAPE	180' ROLL
WMPVR-R PATCH TAPE	150' ROLL
OTHER THICKNESSES AND SYSTEMS AVAILABLE	

SNOW TRAX

See page 9 for available colors



ACCESSORIES

VENTS



Size	Type	Color
9" x 10'-0"	RIDGE VENT WITH FLAT OR DIE-FORM SKIRT	GALVALUME / WHITE
12" x 10'-0"		
AND MORE		
2' x 2'	CUPOLA	See page 9 for available colors
3' x 3'		
4' x 4'		
VARIOUS	APEX	GALV. / WHITE
AVAILABLE BY SPECIAL ORDER		



DOORS

LEAF



Size	Type
3070	DOUBLE LOCK
4070	DOUBLE LOCK
6070	DOUBLE LOCK
ALL DOORS AVAILABLE 1/2 GLASS SINGLE LOCK AVAILABLE	

8 1/4" FRAME

PACK



Size	Type
3070	DOUBLE LOCK
4070	DOUBLE LOCK
6070	DOUBLE LOCK
6070	DOUBLE LOCK DOUBLE ACTIVE
4 1/4" AND 6 1/4" AVAILABLE	

DOOR THRESHOLD

Length

	3'
	4'
	6'

DOOR

ACCESSORIES

Type



STANDARD KNOB

STD. KNOB
LEVER LOCK
DEAD BOLT
HINGE SET
PANIC HARDWARE
CLOSER
LOCK GUARD



LEVER LOCK



DEAD BOLT



HINGE SET



PANIC HARDWARE



CLOSER



TRIM


INDUSTRIAL / COMMERCIAL

Available in All Standard Colors - see page 9

RAKE TRIM 	HEAD & JAMB COVER 	STD. DOWNSPOUT WITH KICKOUT
HIGH SIDE EAVE 	JAMB TRIM 	OVERSIZED DOWNSPOUT WITH KICKOUT
PEAK BOX 	HEAD TRIM 	STD. DOWNSPOUT STRAP
RAKE TRIM CLOSURE 	VEE-PROFILE HEAD TRIM 	OVERSIZED DOWNSPOUT STRAP
SHORT EAVE TRIM 	BASE TRIM 	STD. GUTTER
STANDARD EAVE TRIM 	LONG GUARD 	OVERSIZED GUTTER
CORNER BOX 	TRANSITION TRIM 	STD. GUTTER ENDCAP
OUTSIDE CORNER 	DIE-FORM FLASHING 	OVERSIZED GUTTER ENDCAP
INSIDE CORNER 		STD. / OVERSIZED GUTTER STRAP

Custom Trim Available
 * VARIES WITH PITCH

Commercial Trims





TRIM

RESIDENTIAL / LOW RIB / POST FRAME

Available in All Standard Colors - see page 9

RAKE & CORNER TRIM 	ENDWALL TRANSITION 	STD. RIDGE ROW
RESIDENTIAL RAKE TRIM 	SIDEWALL TRANSITION 	WIDE RIDGE ROW
INSIDE CORNER 	RAT GUARD 	GUTTER
FASCIA 	WINDOW DRIP FLASH 	HANG-ON GUTTER
RESIDENTIAL EAVE TRIM 	J TRIM 	GUTTER STRAP
UPPER GAMBREL TRIM 	WAINSCOT TRIM 	DOWNSPOUT
LOWER GAMBREL TRIM 	VALLEY TRIM 	DOWNSPOUT STRAP

Custom Trim Available
* VARIES WITH PITCH

Post Frame / Residential Trims

